

# STROTECH ENDÜSTRİYEL TEKNOLOJİ ÜRÜNLERİ TİC. LTD. STİ.

——Manufacturer of medium-sized hot melt adhesive machines



# ŞİRKET PROFİLİ





## Basic company information

Strotech, endüstriyel yedek parçalar ve eritme sistemleri alanında uzmanlaşmış bir liderdir. Şirketimiz, termoplastik tutkalların eritilmesi ve dozajlanması için tasarlanmış yüksek performanslı ürünler sunmaktadır. Ürün yelpazemiz, Drum Melter, Varil Eritme Sistemleri, Tank Melter ve çeşitli termoplastik çözümlerini içermektedir. Kuruluşumuz, üretim döngülerini optimize etmek ve işletme maliyetlerini azaltmak amacıyla yenilikçi çözümler sunmaktadır. Dişli pompalı ve piston pompalı eritici sistemlerimiz, sektördeki en yüksek kalite standartlarını karşılamaktadır. Strotech olarak, müşteri memnuniyetini her şeyin önünde tutuyor ve sektördeki en güncel teknolojilere yatırım yapıyoruz.

Vizyonumuz, endüstriyel yedek parça ve eritme sistemleri alanında global bir lider olmak ve müşterilerimize en yüksek verimliliği sağlayacak çözümleri sunmaktır. Misyonumuz ise, müşteri ihtiyaçlarını anlayarak, yenilikçi ve güvenilir ürünler ile iş ortaklarımıza değer katmaktır.



# Technical team

Strotechmelt is a hot melt adhesive machine equipment manufacturer integrating R&D, manufacturing, sales and service.



A blue-tinted photograph of a modern industrial factory interior. In the foreground on the right, a large orange robotic arm is mounted on a base. The background shows a vast space with high ceilings, steel beams, and complex machinery. The floor is highly reflective, mirroring the overhead lights and structures. The overall atmosphere is one of advanced manufacturing technology.

# Product introduction



# Hot Melt Glue Machine Series



PUR-050D

01



PUR-050TP

02



PUR-050S

03



ASD-D80

04



PUR-B2.5

05



MELTAX-4  
4-20L

06



ASD-D5


07



ASD-105A

08

# PUR glue pot series



# PUR hot melt hose



## Specification

Voltage 220V50/60HZ

Power 130/160W/m (optional viscosity 1000-10000CPS  
operating temperature) Temperature sensing method 20  
(optional)

Length 8m 6

## Specification

Voltage 220V50/60HZ

Power 130/160W/m (optional viscosity 1000-10000CPS  
operating temperature) Temperature sensing method 20  
(optional)

Length 8m 6



# Filter series



# Glue gun accessories series





# Glue gun nozzle series




# Manual glue gun series





# Automatic glue gun series



# Accessories series





# Contact information

Contact number: +905326222074

Service hotline: +905079828327

**Company Address:** Baspınar OSB Mah.Celadoğan  
Blv.No:70/D Şehitkamil Gaziantep Türkiye